

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : VitaCrop ZMB

1.2. Recommended use and restrictions on use

Agricultural fertilizer use

1.3. Supplier

INNICTIS® BIOSCIENCE
PLANT HEALTH TECHNOLOGIES
P.O. Box 9296
Boise ID 83707, - USA
T 855-466-8428

1.4. Emergency telephone number

Emergency number : CHEMTREC 1-800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Serious eye damage/eye irritation, Category 2B H320 Causes eye irritation.
Reproductive toxicity, Category 1B H360 May damage fertility or the unborn child.
STOT, repeated exposure, Category 2 H373 May cause damage to organs through prolonged or repeated exposure.

2.2. GHS Label elements, including precautionary statements

GHS US labelling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

DANGER

Hazard statements (GHS US) :

H320 - Causes eye irritation.
H360 - May damage fertility or the unborn child.
H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements (GHS US) :

P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.
P103 - Read label before use.
P203 - Obtain, read and follow all safety instructions before use.
P260 - Do not breathe dust.
P264 - Wash hands, face, arms thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P318 - IF exposed or concerned, get medical advice.
P319 - Get medical help if you feel unwell.
P337+P317 - If eye irritation persists: Get medical help.
P405 - Store locked up.
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards which do not result in classification

No additional information available.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

VitaCrop ZMB

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier (CAS No.)	%
Manganese sulfate monohydrate	10034-96-5	20-30
Zinc oxide	1314-13-2	20-30
Boron sodium oxide, tetrahydrate	12280-03-4	10-20
Zinc Sulfate Monohydrate	7446-19-7	10-20
Boric acid	10043-35-3	5-10
Manganese oxide	1344-43-0	5-10
Amorphous silica	112926-00-8	1-5
Sulfonated aromatic polymer	Trade Secret	1-5
Sucrose	57-50-1	<5

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance
- First-aid measures after inhalation : Move to fresh air. Call a physician if symptoms develop or persist.
- First-aid measures after skin contact : Wash off with soap and water. Get medical attention if irritation develops and persists.
- First-aid measures after eye contact : Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
- First-aid measures after ingestion : Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects (acute and delayed)

Headache. Nausea, vomiting. Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Dusts may irritate the respiratory tract, skin and eyes. Coughing. Prolonged exposure may cause chronic effects.

4.3. Immediate medical attention and special treatment, if necessary

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂). Apply extinguishing media carefully to avoid creating airborne dust.
- Unsuitable extinguishing media : Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Specific hazards arising from the chemical

Explosion hazard: Avoid generating dust; fine dust dispersed in air in sufficient concentrations and in the presence of an ignition source is a potential dust hazard explosion. During fire, gases hazardous to health may be formed.

5.3. Special protective equipment and precautions for fire-fighters

- Self-contained breath apparatus and full protective clothing must be worn in case of fire.
- Fire fighting equipment/instructions : In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can so without risk.
- Specific methods : Use standard fire fighting procedures and consider the hazards of other involved materials.
- General fire hazards : May form combustible dust concentrations in air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Use only non-sparking tools. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

VitaCrop ZMB

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

- : Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. Prevent product from entering drains. Stop the flow of material, if this is without risk.
- Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.
- Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

- : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Avoid significant deposits of material, especially on horizontal surfaces, which may become airborne and form combustible dust clouds and may contribute to secondary explosions. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Combustible dust clouds may be created where operations produce fine material (dust). Handling and processing operations should be conducted in accordance with 'best practices' (e.g. NFPA-654). Explosion-proof general and local exhaust ventilation. Do not breathe dust. Avoid contact with eyes. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

US. OSHA Occupational Exposure Limits			
Components	Type	Value	Form
Boron sodium oxide, tetrahydrate (CAS 12280-03-4)	PEL	5 mg/m3	Respirable dust.
		15mg/m3	Total dust.
US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)			
Components	Type	Value	Form
Manganese oxide (CAS 1344-43-0)	Ceiling	5 mg/m3	
Manganese sulfate monohydrate (CAS 10034-96-5)	Ceiling	5 mg/m3	
Sucrose (CAS 57-50-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Zinc oxide (CAS 1314-13-2)	PEL	5 mg/m3	Respirable fraction.
		5 mg/m3	Fume.
		15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFR 1910.1000)			
Component	Type	Value	
Amorphous silica (CAS 112926-00-8)	TWA	0.8 mg/m3	
		20 mppcf	
US. ACGIH Threshold Limit Values			
Components	Type	Value	Form
Boric acid (CAS 10043-35-3)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.
Boron sodium oxide, tetrahydrate (CAS 12280-03-4)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.
Manganese oxide (CAS 1344-43-0)	TWA	0.1 mg/m3	Inhalable fraction.

VitaCrop ZMB

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

		0.02 mg/m ³	Respirable fraction.
Manganese sulfate monohydrate (CAS 10034-96-5)	TWA	0.1 mg/m ³	Inhalable fraction.
		0.02 mg/m ³	Respirable fraction.
Sucrose (CAS 57-50-1)	TWA	10 mg/m ³	
Zinc oxide (CAS 1314-13-2)	STEL	10 mg/m ³	Respirable fraction.
	TWA	2 mg/m ³	Respirable fraction.
US. NIOSH: POCKET GUIDE TO CHEMICAL HAZARDS			
Components	Type	Value	Form
Amorphous silica (CAS 112926-00-8)	TWA	6 mg/m ³	
Manganese oxide (CAS 1344-43-0)	STEL	3 mg/m ³	Fume.
	TWA	1 mg/m ³	Fume.
Manganese sulfate monohydrate (CAS 10034-96-5)	STEL	3 mg/m ³	Fume.
	TWA	1 mg/m ³	Fume.
Sucrose (CAS 57-50-1)	TWA	5 mg/m ³	Respirable
		10 mg/m ³	Total
Zinc oxide (CAS 1314-13-2)	Ceiling	15 mg/m ³	Dust.
	STEL	10 mg/m ³	Fume.
	TWA	5 mg/m ³	Dust.
		5 mg/m ³	Fume.

8.2. Appropriate engineering controls

Appropriate engineering controls : Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. Use only appropriately classified electrical equipment and powered industrial trucks. Provide eyewash station.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear appropriate chemical resistant gloves.

Eye/Face protection:

Wear safety glasses with side shields (or goggles).

Skin and body protection:

Wear suitable protective clothing.

Respiratory protection:

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter.

Thermal hazards:

Wear appropriate thermal protective clothing when necessary.

General hygiene considerations:

Observe any medical surveillance requirements. When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

VitaCrop ZMB

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder
Color	: Pink
Odour	: Not available
Odour threshold	: No data available
pH	: 6-7
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: Not explosive
Oxidising properties	: Not oxidizing

9.2. Other information

No additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Material is stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid

Keep away from heat, sparks and open flame. Contact with incompatible materials. Minimize dust generation and accumulation.

10.5. Incompatible materials

Chlorine. Fluorine.

10.6. Hazardous decomposition products

Metal oxides.

VitaCrop ZMB

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) Amorphous silica (CAS 112926-00-8) LD50 Oral Rat >25500 mg/kg	: Harmful if swallowed.
Boric acid (CAS 10043-35-3) LD50 Oral Rat 2660 mg/kg	: Causes skin irritation.
Manganese sulfate monohydrate (CAS 10034-96-5) LD50 Oral Rat 2150 mg/kg	: Not classified.
Acute toxicity (dermal) Boric acid (CAS 10043-35-3) LD50 Dermal Rabbit >2000 mg/kg	
Acute toxicity (inhalation) Skin corrosion/irritation	: Causes skin irritation. pH: 7.5 - 8.5
Serious eye damage/irritation	: Causes serious eye irritation. pH: 7.5 - 8.5
Respiratory or skin sensitization	: Not classified.
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Not listed in NTP, IARC or by OSHA.
Reproductive toxicity	: Not classified.
STOT-single exposure	: Not classified.
STOT-repeated exposure	: Not classified.
Aspiration hazard	: Not classified.
Viscosity, kinematic	: Not classified.
Potential adverse human health effects and symptoms	: Not classified.
Symptoms/effects after inhalation	: Dust may irritate respiratory system. Prolonged inhalation may be harmful.
Symptoms/effects after skin contact	: Dust or powder may irritate the skin.
Symptoms/effects after eye contact	: Causes eye irritation.
Symptoms/effects after ingestion	: May cause discomfort if swallowed.

SECTION 12: Ecological information

12.1. Toxicity

Ecology – general : Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

No additional information available.

12.3. Mobility in soil

No additional information available.

12.4. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

13.2. Local disposal regulations

Dispose in accordance with all applicable regulations.

13.3. Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

VitaCrop ZMB

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

13.4. Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

13.5. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

Department of Transportation (DOT) In

accordance with DOT

Transport document description	:UN3077 Environmentally hazardous substances, solid, n.o.s. (Zinc oxide)
UN-No.(DOT)	:UN3077
Proper Shipping Name (DOT)	:Environmentally hazardous substances, solid, n.o.s. (Zinc oxide)
Class (DOT)	:9
Packing group (DOT)	:III
Special precautions for user	:Read safety instructions, SDS and emergency procedures before handling. DOT (Road/Rail): Non-bulk shipments of this material are non-regulated for domestic ground transportation when they meet the requirements of 49 CFR 171.4(c).
DOT Packaging Non Bulk (49 CFR 173.xxx)	:213
DOT Packaging Bulk (49 CFR 173.xxx)	:240
DOT Special Provisions (49 CFR 172.102)	:8, 146, 335, A112, B54, IB8, IP3, N20, T1, TP33
DOT Packaging Exceptions (49 CFR 173.xxx)	:155

IATA

UN number	:UN3077
Proper Shipping Name (DOT)	:Environmentally hazardous substances, solid, n.o.s. (Zinc oxide)
Class	:9
Packing group	:III
Environmental hazards	:Yes
ERG Code	:9L
Special precautions for user	:Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number	:UN3077
Proper Shipping Name (DOT)	:Environmentally hazardous substances, solid, n.o.s. (Zinc oxide)
Class	:9
Packing group	:III
Environmental hazards-Marine pollutant	:Yes
EmS	:F-A, S-F
Special precautions for user	:Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code.

SECTION 15: Regulatory information

15.1. US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Manganese oxide (CAS 1344-43-0)	Listed.
Manganese sulfate monohydrate (CAS 10034-96-5)	Listed.
Zinc oxide (CAS 1314-13-2)	Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Toxic Substances Control Act (TSCA)

All components on the TSCA 8(b) inventory are designated "active".

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes chemical

VitaCrop ZMB

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Classified hazard categories
Combustible dust
Serious eye damage or eye irritation
Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)

SARA 312 (TRI reporting) Chemical name	CAS No.	%
Manganese sulfate monohydrate	10034-96-5	20-30
Zinc oxide	1314-13-2	20-30
Zinc Sulfate Monohydrate	7446-19-7	10-20
Manganese oxide	1344-43-0	5-10

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese oxide (CAS 1344-43-0)
Manganese sulfate monohydrate (CAS 10034-96-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

15.2. International regulations

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

15.3. US State regulations

US. Massachusetts RTK - Substance List

Amorphous silica (CAS 112926-00-8)
Sucrose (CAS 57-50-1)
Zinc oxide (CAS 1314-13-2)
Zinc Sulfate Monohydrate (CAS 7446-19-7)

US. New Jersey Worker and Community Right-to-Know Act

Amorphous silica (CAS 112926-00-8)
Boric acid (CAS 10043-35-3)
Boron sodium oxide, tetrahydrate (CAS 12280-03-4)
Manganese oxide (CAS 1344-43-0)
Manganese sulfate monohydrate (CAS 10034-96-5)
Zinc oxide (CAS 1314-13-2)
Zinc Sulfate Monohydrate (CAS 7446-19-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Manganese oxide (CAS 1344-43-0)
Manganese sulfate monohydrate (CAS 10034-96-5)
Sucrose (CAS 57-50-1)
Zinc oxide (CAS 1314-13-2)
Zinc Sulfate Monohydrate (CAS 7446-19-7)

US. Rhode Island RTK

Sucrose (CAS 57-50-1)
Zinc oxide (CAS 1314-13-2)



California Proposition 65

WARNING: This product can expose you to Naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Naphthalene (CAS 91-20-3) Listed: April 19, 2002

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Boric acid (CAS 10043-35-3)
Boron sodium oxide, tetrahydrate (CAS 12280-03-4)

SECTION 16: Other information

HMIS® ratings

OSHA 3371-08 2009, Hazard Communication Guidance for Combustible Dusts
NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids
Health: 2*
Flammability: 0

NFPA ratings



VitaCrop ZMB

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Disclaimer

NOTICE: The information contained in this document is based on data considered to be accurate as of the preparation date of this Safety Data Sheet (SDS) and was prepared pursuant to applicable Government regulation(s). This SDS may not be used as a commercial specification sheet of manufacturer or seller, and no warranty or representation, expressed or implied, is made as to the accuracy or comprehensiveness of the above data and safety information, nor is any authorization given or implied to practice any patented invention without a license. Additional information may be needed to evaluate other uses of the product, including use of the product in combination with any materials or in any processes other than those specifically referenced. Information provided about any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. Purchasers and users of the product are responsible for determining that this product is suitable for the intended use and application. No responsibility can be assumed by vendor for any damage or injury resulting from failure to adhere to recommended uses, or from any hazards inherent to the product. Purchasers and users assume all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations. Purchasers and users of the product should explicitly advise their employees, agents, contractors and customers who will use the product of this SDS.

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.