



WATER CONDITIONING AGENT • AMINE COMPATIBLE

PRINCIPAL FUNCTIONING AGENTS:

| | |
|-------------------------------------------------------------------------------|---------|
| Ammonium sulfate, citric acid, phosphoric acid, sodium tripolyphosphate | 44.00% |
| CONSTITUENTS INEFFECTIVE AS SPRAY ADJUVANTS | 56.00% |
| TOTAL: | 100.00% |

All ingredients exempt from the requirements of a tolerance under 40 CFR.



KEEP OUT OF REACH OF CHILDREN WARNING

Read Entire Label Before Using This Product

HAZARD STATEMENTS

Causes mild skin irritation. Causes eye irritation.
May be harmful if inhaled.

PRECAUTIONARY STATEMENTS

General:
If medical advice is needed, have product container or label at hand. Avoid breathing spray mist. Keep out of reach of children. Read label before use.

Prevention:

Wash hands, face and other affected areas thoroughly after handling. Take off contaminated clothing and wash before reuse.

Response:

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of emergency call CHEMTREC 1-800-424-9300

HARMFUL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. AVOID CONTACT WITH EYES AND SKIN, MAY CAUSE IRRITATION. AVOID BREATHING SPRAY MIST.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: Eye protection, long sleeved shirt and long pants, shoes plus socks and chemical resistant gloves.

FIRST AID

Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye.

IF SWALLOWED: Have person sip a glass of water if able to swallow. **DO NOT** induce vomiting unless told to do so by a poison control center or doctor. **DO NOT** give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible.

PRODUCT INFORMATION

VIXEN AC-L contains a blend of highly-effective water conditioning agents that are specifically designed to minimize the interaction between ions and active ingredients. VIXEN AC-L contains ammonium ions and has been shown to activate glyphosate tank mixes. VIXEN AC-L can be used with any pesticide where interaction with ions may occur and/or ammonium sulfate is recommended in the tank mix. VIXEN AC-L should be used wherever acidifiers and acidic tank mixes are allowed. VIXEN AC-L can be used with herbicides, fungicides, insecticides and many other pesticides. VIXEN AC-L is especially effective when used with weak-acid herbicides such as glyphosate and 2,4-D.

DIRECTIONS FOR USE

VIXEN AC-L does not contain surfactant or oil. If the pesticide label recommends or requires the use of a surfactant or oil, these should be added along with VIXEN AC-L. This product lowers pH into a range which enhances the performance of most weak acid pesticides. Use with pesticides that are compatible with lower pH. **DO NOT** use with copper-containing fungicides. Minimize worker exposure by using measures that are required for pesticide handling. VIXEN AC-L may be added before or after the pesticide is added to the tank mix. Although addition beforehand will prevent unwanted interactions, the interaction may be reversed afterward, although addition of larger amounts may be required. Never exceed the highest recommended dose.

NOT FOR AQUATIC USE IN WASHINGTON STATE.

APPLICATION RATE RECOMMENDATIONS

Ground: 0.5 to 2 quarts per 100 gallons

Aerial: 1 to 2 quarts per 100 gallons.

Water Conditioning: 1 to 5 pints per 100 gallons of spray tank solution is highly effective as an acidifier and water conditioner. 8.5 lbs. of AMS per 100 gallons has been proven to be replaced by 2 quarts of VIXEN AC-L.

VIXEN AC-L, used at the suggested rates will deliver water conditioning activity equivalent to 3 to 8.5 lbs. of ammonium sulfate per 100 gallons of water.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

STORAGE: Store product in original container only, away from other pesticides, fertilizers, food or feed. Store in a cool, dry place. Keep container sealed when not in use.


DISPOSAL: Wastes resulting from the use of this product must be disposed of on-site or at an approved waste disposal facility. Dispose of contents / container in accordance with local / regional / national regulations. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler, visit the ACRC web page at www.acrcycle.org. Decontaminated containers may also be disposed of in a sanitary landfill.

DO NOT REUSE EMPTY CONTAINER FOR ANY PURPOSE.



CA Reg. No.: 89391-50019
WA Reg. No.: 89391-15009

NET CONTENTS: 275 Gal (1040 L)



10812831021744

Distributed By: INNVICTIS® CROP CARE, LLC
1880 Fall River Drive, Suite 100, Loveland, CO 80538
855-466-8428

RD0053025



ADJUVANT

